

The Evening Sky Map

FREE* EACH MONTH FOR YOU TO EXPLORE, LEARN & ENJOY THE NIGHT SKY

Sky Calendar – May 2018

Get Sky Calendar on Twitter
<http://twitter.com/skymaps>

- 2 **Moon near Antares** (morning sky) at 11h UT.
- 2 **Venus 6.4° N of Aldebaran** (28° from Sun, evening sky) at 18h UT. Mags. -3.9 and 0.9.
- 4 **Moon near Saturn** (morning sky) at 20h UT. Mag. 0.3.
- 6 **Eta Aquarid meteor shower peaks.** Most active for 7 days around this date. Associated with Comet Halley. Very fast, bright meteors, up to 30 per hour. Favors skywatchers in the tropics observing a few hours before dawn. Unfavorable viewing conditions this year due to bright moonlight.
- 6 **Moon at apogee** (farthest from Earth) at 1h UT (distance 404,457 km; angular size 29.5').
- 6 **Moon near Mars** (morning sky) at 7h UT. Mag. -0.5.
- 8 **Last Quarter Moon** at 2:10 UT.
- 9 **Jupiter at opposition** at 0h UT. Best time to observe the largest planet in the solar system. Mag. -2.5.
- 13 **Moon near Mercury** (23° from Sun, morning sky) at 19h UT. Mag. -0.2.
- 15 **New Moon** at 11:49 UT. Start of lunation 1180.
- 16 **Moon near Aldebaran** (15° from Sun, evening sky) at 13h UT.
- 17 **Moon near Venus** (31° from Sun, evening sky) at 19h UT. Mag. -4.0.
- 17 **Moon at perigee** (closest to Earth) at 21h UT (363,776 km; angular size 32.8').
- 19 **Moon near Pollux** (evening sky) at 13h UT.
- 20 **Moon near Beehive cluster M44** (evening sky) at 12h UT.
- 21 **Venus 0.7° N of M35 cluster** (32° from Sun, evening sky) at 10h UT. Mags. -4.0 and 5.1.
- 22 **Moon near Regulus** (evening sky) at 2h UT.
- 22 **First Quarter Moon** at 3:50 UT.
- 26 **Moon near Spica** (evening sky) at 2h UT.
- 27 **Moon near Jupiter** (evening sky) at 20h UT. Mag. -2.5.
- 29 **Full Moon** at 14:20 UT.
- 29 **Moon near Antares** (midnight sky) at 19h UT.

More sky events and links at <http://Skymaps.com/skycalendar/>

All times in Universal Time (UT). (Singapore Standard Time = UT + 8 hours.)



SAVE ON RECOMMENDED PRODUCTS • <http://Skymaps.com/store>


- STAR ATLASES & PLANISPHERES
 - STAR CHARTS & ASTRO POSTERS
 - BOOKS FOR SKY WATCHERS
 - TELESCOPES & BINOCULARS
- All sales support the production and free distribution of The Evening Sky Map.

EQUATORIAL EDITION
 MAY 2018

SKY MAP SHOWS HOW
 THE NIGHT SKY LOOKS

EARLY MAY 9 PM
 LATE MAY 8 PM

SKY MAP DRAWN FOR
 A LATITUDE OF 0°
 AND IS SUITABLE
 FOR LATITUDES UP
 TO 15° NORTH
 OR SOUTH OF
 THIS



- Symbols**
- Galaxy ☾
 - Double Star ●●
 - Variable Star ⊙
 - Diffuse Nebula □
 - Planetary Nebula ☆
 - Open Star Cluster ○
 - Global Star Cluster ⊕

Star Magnitudes ●●●●●
 -1 0 1 2 3 4

Copyright © 2000–2018 Kym Thalassoudis. All Rights Reserved.

*TERMS OF USE: FREE FOR NON-COMMERCIAL EDUCATIONAL USE. ASTRONOMY EDUCATION GROUPS MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT <http://Skymaps.com/terms.html>

INSTRUCTIONS: THE SKY MAP SHOWS THE ENTIRE NIGHT SKY FROM HORIZON-TO-HORIZON AS IT APPEARS ON CERTAIN DATES AND TIMES. THE CENTER OF THE MAP IS THE PART OF THE SKY DIRECTLY OVERHEAD (THE LION) AND THE OUTER CIRCLE IS LOCATED BETWEEN THE ZENITH AND THE HORIZON. COMPASS DIRECTIONS ARE INDICATED ALONG THE HORIZON CIRCLE (FOR EXAMPLE, "NORTH"). TURN THE SKY MAP AROUND ITS CENTER TO FIND A BRIGHT STAR PATTERN IN THE SKY.

The Southern Cross (Crux) can be seen high in the southern sky this month.

Virgo is high overhead. It is the largest zodiac constellation and the second largest constellation in the sky. The constellation Leo (The Lion) and the outer circle have been associated with Kingfisher since ancient times. The constellation Leo (The Lion) and the outer circle have been associated with Kingfisher since ancient times.

The constellation Leo (The Lion) and the outer circle have been associated with Kingfisher since ancient times. The constellation Leo (The Lion) and the outer circle have been associated with Kingfisher since ancient times.

WWW.SKYMAPS.COM
 Gemma is the brightest "jewel" in Corona Borealis. The northern crown. Gemma is the brightest "jewel" in Corona Borealis. The northern crown.

The Big Dipper is a prominent star pattern in the constellation Ursa Major (The Great Bear). The Big Dipper is a prominent star pattern in the constellation Ursa Major (The Great Bear).

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. **Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. Singapore Standard Time is UT plus 8 hours.

Variable Star – A star that changes brightness over a period of time.

EQUATORIAL EDITION
MAY 2018

CELESTIAL OBJECTS

★
★
★
★
Sky maps .com

Easily Seen with the Naked Eye

| | | | |
|------------|-----|---|--|
| Arcturus | Boo | ● | Orange, giant K star. Name means "bear watcher". Dist=36.7 ly. |
| Procyon | CMi | ● | Greek name meaning "before the dog" -- rises before Sirius (northern latitudes). Dist=11.4 ly. |
| β Centauri | Cen | ● | With Alpha Centauri, forms the so-called "Pointers-to-the-Cross". Dist=525 ly. |
| α Centauri | Cen | ● | Nearest bright star to Sun at 4.4 ly. Brilliant double star in a telescope. 80 year period. |
| Coalsack | Cru | ◆ | Most famous naked-eye dark nebula. Requires dark sky. Dist=600 ly. |
| Castor | Gem | ● | Multiple star system with 6 components. 3 stars visible in telescope. Dist=52 ly. |
| Pollux | Gem | ● | With Castor, the twin sons of Leda in classical mythology. Dist=34 ly. |
| α Herculis | Her | ⊛ | Semi-regular variable. Magnitude varies between 3.1 & 3.9 over 90 days. Mag 5.4 companion. |
| Regulus | Leo | ● | Brightest star in Leo. A blue-white star with at least 1 companion. Dist=77 ly. |
| Antares | Sco | ● | Red, supergiant star. Name means "rival of Mars". Dist=135.9 ly. |
| Spica | Vir | ● | Latin name means "ear of wheat" and shown held in Virgo's left hand. Dist=250 ly. |

Easily Seen with Binoculars

| | | | |
|---------------|-----|---|---|
| M44 | Cnc | ⊛ | Praesepe or Beehive Cluster. Visible to the naked eye. Dist=590±20 ly. |
| M3 | CVn | ⊛ | Easy to find in binoculars. Might be glimpsed with the naked eye. |
| 2808 | Car | ⊛ | Located 4 deg W of Nu Carinae. Visible to the naked eye on clear nights. |
| R Carinae | Car | ⊛ | Long period variable. Magnitude varies between 3.9 & 10.5 over 309 days. |
| 3114 | Car | ⊛ | Stunning open cluster. 30+ stars visible through 7x binoculars. Dist=2,900 ly. |
| 3293 | Car | ⊛ | Rich, tightly packed. Surrounded by large, faint nebulosity. Dist=8,500 ly. |
| IC 2602 | Car | ⊛ | The "Five of Diamonds". Bright cluster twice diameter of full Moon. Dist=491 ly. |
| 3372 | Car | □ | Eta Carinae Nebula. Enormous glowing cloud in rich star field. Dist=8,000 ly. |
| 3532 | Car | ⊛ | Herschel -- "most brilliant cluster". 60+ stars in 7x binoculars. Dist=1,300 ly. |
| ω Centauri | Cen | ⊛ | Largest and brightest globular star cluster in sky. 1 million stars. Dist=17,000 ly. |
| Mel 111 | Com | ⊛ | Coma Berenices. 80 mag 5-6 stars in 5 deg. Dist=288 ly. Age=400 million years. |
| 4755 | Cru | ⊛ | Jewel Box. Outstanding star cluster. Many contrasting colours. Dist=7,600 ly. |
| M13 | Her | ⊛ | Best globular in northern skies. Discovered by Halley in 1714. Dist=23,000 ly. |
| M48 | Hya | ⊛ | 12+ stars in 7x binoculars. Triangular asterism near centre. Dist=1,990 ly. |
| R Hydrae | Hya | ⊛ | Long period variable. Mag varies between 3.0 & 11.0 over 390 days. Brilliant red. |
| M12 | Oph | ⊛ | Close to the brighter M10. Dist=18,000 ly. |
| M10 | Oph | ⊛ | 3 degrees from the fainter M12. Both may be glimpsed in binoculars. Dist=14,000 ly. |
| M4 | Sco | ⊛ | A close globular. May just be visible without optical aid. Dist=7,000 ly. |
| 6231 | Sco | ⊛ | Easy to see in binoculars. Dist=5,900 ly. |
| M5 | Ser | ⊛ | Fine globular star cluster. Telescope will reveal individual stars. Dist=25,000 ly. |
| 6025 | TrA | ⊛ | A small open star cluster in Milky Way. Dist=2,700 ly. |
| Mizar & Alcor | UMa | ● | Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion. |
| IC 2391 | Vel | ⊛ | Omicron Velorum Cluster. Superb object for binoculars. Dist=450 ly. |

Telescopic Objects

| | | | |
|------------|-----|---|---|
| ε Boötis | Boo | ● | Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split. |
| M67 | Cnc | ⊛ | Contains 500+ stars mag 10 & fainter. One of the oldest clusters. Dist=2,350 ly. |
| M94 | CVn | ⊛ | Compact nearly face-on spiral galaxy. Dist=15 million ly. |
| M51 | CVn | ⊛ | Whirlpool Galaxy. First recognised to have spiral structure. Dist=25 million ly. |
| 3918 | Cen | ◆ | The Blue Planetary. Visible in a small telescope as a round blue disk. |
| 5128 | Cen | ⊛ | Bisected by a wide obscuring lane. Strong radio source. Dist=11 million ly. |
| M64 | Com | ⊛ | Black-Eye Galaxy. Discovered by J.E. Bode in 1775 -- "a small, nebulous star". |
| 3242 | Hya | ◆ | Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly. |
| M83 | Hya | ⊛ | Classic face-on spiral. Discovered in 1752 by Lacaille. In attractive star field. |
| γ Leonis | Leo | ● | Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4". |
| 5822 | Lup | ● | Large, attractive cluster. Dist=1,800 ly. Open cluster NGC 5823 to the south. |
| k Puppis | Pup | ● | Telescope easily shows two blue-white stars of almost equal brightness. Sep=9.9". |
| M23 | Sgr | ⊛ | Elongated star cluster. Telescope required to show stars. Dist=2,100 ly. |
| 6124 | Sco | ⊛ | Contains 5 bright tightly packed stars near centre. 7 star chain. Dist=1,600 ly. |
| M81 | UMa | ⊛ | Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope. |
| M82 | UMa | ⊛ | Close to M81 but much fainter and smaller. |
| 3132 | Vel | ◆ | One of the brightest planetaries. Magnitude 10 central star. Dist=2,600 ly. |
| M104 | Vir | ⊛ | Sombrero Galaxy. Almost edge-on spiral galaxy. Protruding central core. |
| γ Virginis | Vir | ● | Superb pair of mag 3.5 yellow-white stars. Orbit=169 years. At their closest in 2005. |