

^{*} TERMS OF USE: FREE FOR NON-COMMERCIAL EDUCATIONAL USE. ASTRONOMY EDUCATION GROUPS MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT http://Skymaps.com/terms.html

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large **binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. Australian Eastern Standard Time (Sydney, Australia) is UT plus 10 hours. **Variable Star** – A star that changes brightness over a period of time.

2 K	Easily S	een	wi	th the Naked Eye	
SOUTHERN HEMISPHERE MARCH 2024	Sirius Procyon Canopus β Centauri coalsack Achernar Castor Pollux Regulus Rigel Betelgeuse Aldebaran Spica	CMa CMi Car Cen Cru Eri Gem Leo Ori Ori Tau Vir	• • • • • • • • •	The brightest star in the sky. Also known as the "Dog Star". Dist=8.6 ly. Greek name meaning "before the dog" - rises before Sirius (northern latitudes). Dist=11.4 ly. Second brightest star in the sky. 14,000 times more luminous than the Sun. Dist=309 ly. With Alpha Centauri, forms the so-called "Pointers-to-the-Cross". Dist=525 ly. Nearest bright star to Sun at 4.4 ly. Brilliant double star in a telescope. 80 year period. Most famous naked-eye dark nebula. Requires dark sky. Dist=600 ly. Brightest star in Eridanus, The River. Arabic name meaning "end of river". Dist=140 ly. Multiple star system with 6 components. 3 stars visible in telescope. Dist=52 ly. Brightest star in Leo. A blue-white star with at least 1 companion. Dist=77 ly. The brightest star in Orion. Blue supergiant star with mag 7 companion. Dist=770 ly. One of the largest red supergiant stars known. Diameter=300 times that of Sun. Dist=430 ly. Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly. Latin name means "ear of wheat" and shown held in Virgo's left hand. Dist=250 ly.	
\mathbf{S}	Easily S	een	wi	th Binoculars	
CELESTIAL OBJECT	M44 M41 2516 2808 R Carinae 3114 3293 IC 2602 3372 3532 ω Centauri 4755 LMC M48 γ Leporis 2232 2244 M50 Cr 69 M42 L ² M47 M46 2451 2477 47 Tucanae SMC	Cnc CMa Car Car Car Car Car Car Car Car Car Ca		Praesepe or Beehive Cluster. Visible to the naked eye. Dist=590±20 ly. First recorded observation by Aristotle in 325 BC as "cloudy spot". Dist=2,300 ly. Spectacular open star cluster of 100 stars spaning 1/2 deg. Dist=1,300 ly. Located 4 deg W of Nu Carinae. Visible to the naked eye on clear nights. Long period variable. Magnitude varies between 3.9 & 10.5 over 309 days. Stunning open cluster. 30+ stars visible through 7x binoculars. Dist=2,900 ly. Rich, tightly packed. Surrounded by large, faint nebulosity. Dist=8,500 ly. The "Five of Diamonds". Bright cluster twice diameter of full Moon. Dist=491 ly. Eta Carinae Nebula. Enormous glowing cloud in rich star field. Dist=8,000 ly. Herschel - "most brilliant cluster". 60+ stars in 7x binoculars. Dist=1,300 ly. Largest and brightest globular star cluster in sky. 1 million stars. Dist=17,000 ly. Jewel Box. Outstanding star cluster. Many contrasting colours. Dist=7,600 ly. Large Magellanic Cloud. A neighbouring galaxy of the Milky Way. Dist=180,000 ly. 12+ stars in 7x binoculars. Triangular asterism near centre. Dist=1,990 ly. Visible with binoculars. Gold & white stars. Mags 3.6 & 6.2. Dist=30 ly. Sep=96.3". A large scattered star cluster of 20 stars. Dist=1,300 ly. Surrounded by the rather faint Rosette Nebula. Dist=5,540 ly. Visible with binoculars. Telescope reveals individual stars. Dist=3,000 ly. Lambda Orionis Cluster. Dist=1,630 ly. The Great Orion Nebula. Spectacular bright nebula. Best in telescope. Dist=1,300 light years. Semi-regular variable. Magnitude varies between 2.6 & 6.2 over 140.42 days. Bright star cluster. 15+ stars in 7x binoculars. Dist=1,500 ly. Dist=5,400 ly. Contains planetary NGC 2438 (Mag 11, d=65") - not associated. 30+ stars in binoculars. The brightest star, χ Puppis, is red. Dist=850 ly. Very rich but distant star cluster (4,200 ly). Resembles globular through binoculars. Spectacular object. Telescope will reveal stars. Near edge of SMC. Dist=15,000 ly. Small Magellanic Cloud. Companion galaxy to Milky Way	
	2547 IC 2391	Vel Vel	0	Fine open cluster visible through binoculars. Dist=1,300 ly. Omicron Velorum Cluster. Superb object for binoculars. Dist=450 ly.	
	Telescopic Objects				
a 🗧	M67 3918	Cnc Cen	े क	Contains 500+ stars mag 10 & fainter. One of the oldest clusters. Dist=2,350 ly. The Blue Planetary. Visible in a small telescope as a round blue disk.	
Sey m	2070 3242 γ Leonis β Monocerotis 2264 σ Orionis k Puppis 3132	Dor Hya Leo	Y ↓ <p< td=""><td>Tarantula Nebula. A bright nebula located in LMC. A star-forming region. Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly. Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4". Triple star. Mags 4.6, 5.0 & 5.4. Requires telescope to view arc-shape. Sep=7.3". Christmas Tree Cluster. Associated with the Cone Nebula. Dist=2,450 ly. Superb multiple star. 2 mag 7 stars one side, mag 9 star on other. Struve 761 triple in field. Telescope easily shows two blue-white stars of almost equal brightness. Sep=9.9". One of the brightest planetaries. Magnitude 10 central star. Dist=2,600 ly.</td></p<>	Tarantula Nebula. A bright nebula located in LMC. A star-forming region. Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly. Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4". Triple star. Mags 4.6, 5.0 & 5.4. Requires telescope to view arc-shape. Sep=7.3". Christmas Tree Cluster. Associated with the Cone Nebula. Dist=2,450 ly. Superb multiple star. 2 mag 7 stars one side, mag 9 star on other. Struve 761 triple in field. Telescope easily shows two blue-white stars of almost equal brightness. Sep=9.9". One of the brightest planetaries. Magnitude 10 central star. Dist=2,600 ly.	
				The Evening Sky Map (ISSN 1839-7735) Copyright © 2000–2024 Kym Thalassoudis. All Rights Reserved.	