

The Evening Sky Map

FREE* EACH MONTH FOR YOU TO EXPLORE, LEARN & ENJOY THE NIGHT SKY

Sky Calendar – November 2022

Get Sky Calendar on Twitter
<http://twitter.com/skymaps>

- 1 **First Quarter Moon** at 6:38 UT.
- 2 **Moon near Saturn** at 0h UT (evening sky). Mag. 0.7.
- 4 **Moon near Jupiter** at 23h UT (evening sky). Mag. -2.8.
- 8 **Total Lunar Eclipse** begins at 10:17 UT and ends at 11:41 UT. Greatest eclipse at 10:59 UT. Partial phases begin at 9:09 UT and end at 12:49 UT. During totality the Moon will appear red-orange in color once it passes into the Earth's shadow; the color of all the sunsets and sunrises in Earth's atmosphere. The total lunar eclipse will be visible from Asia, Australia, the Pacific and the Americas.
- 8 **Full Moon** at 11:02 UT.
- 8 **Moon near Uranus** at 13h UT (midnight sky). Mag. 5.6. Occultation visible from east Asia, Japan & Alaska.
- 8 **Mercury at superior conjunction** with the Sun at 16h UT. The inner planet passes into the evening sky.
- 9 **Uranus at opposition** at 8h UT. Mag. 5.6.
- 9 **Moon near the Pleiades** at 15h UT (morning sky).
- 10 **Moon near Aldebaran** at 9h UT (morning sky).
- 11 **Moon near Mars** at 14h UT (morning sky). Mag. -1.5.
- 12 **Moon at northernmost declination** (27.5°) at 14h UT.
- 14 **Moon at apogee** (farthest from Earth) at 7h UT (distance 404,921km; angular size 29.5').
- 15 **Moon near Beehive cluster M44** at 5h UT (morning sky).
- 16 **Last Quarter Moon** at 13:28 UT.
- 17 **Moon near Regulus** at 2h UT (morning sky).
- 19 **Leonid meteor shower peaks** at 6h UT. Arises from debris ejected by comet 55P/Tempel-Tuttle. Produces very fast meteors (70 km/sec). Expect 10–15 meteors per hour under dark skies. Moonlight will interfere with observations.
- 21 **Moon near Spica** at 8h UT (morning sky).
- 23 **New Moon** at 22:56 UT. Start of lunation 1236.
- 26 **Moon at perigee** (closest to Earth) at 1:37 UT (distance 362,826km; angular size 32.9').
- 29 **Moon near Saturn** at 8h UT (evening sky). Mag. 0.8.
- 30 **First Quarter Moon** at 14:37 UT.

More sky events and links at <http://Skymaps.com/skycalendar/>


All times in Universal Time (UT). (Singapore Standard Time = UT + 8 hours.)



SAVE ON RECOMMENDED PRODUCTS • <http://Skymaps.com/store>

- STAR ATLASES & PLANISPHERES
 - STAR CHARTS & ASTRO POSTERS
 - BOOKS FOR SKY WATCHERS
 - TELESCOPES & BINOCULARS
- All sales support the production and free distribution of The Evening Sky Map.

WWW.SKYMAPS.COM
 The spectacular star clusters the Pleiades and the Hyades are in the constellation of Taurus. The Bull.



EQUATORIAL EDITION NOVEMBER 2022

SKY MAP SHOWS HOW THE NIGHT SKY LOOKS

EARLY NOV 9 PM
 LATE NOV 8 PM

SKY MAP DRAWN FOR A LATITUDE OF 0° AND IS SUITABLE FOR LATITUDES UP TO 15° NORTH OR SOUTH OF THIS

Symbols

- Galaxy ☾
- Double Star ●●
- Variable Star ⊙
- Diffuse Nebula □
- Planetary Nebula ☆
- Open Star Cluster ○
- Globular Star Cluster ⊕

Star Magnitudes ●●●●●
 -1 0 1 2 3 4

Copyright © 2000–2022 Kym Thalassoudis. All Rights Reserved.

* TERMS OF USE: FREE FOR NON-COMMERCIAL EDUCATIONAL USE. ASTRONOMY EDUCATION GROUPS MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT <http://Skymaps.com/terms.html>

The Magellanic Clouds (LMC & SMC) are companion galaxies to our galaxy, the Milky Way.
 INSTRUCTIONS: THE SKY MAP SHOWS THE ENTIRE NIGHT SKY FROM HORIZON-TO-HORIZON AS IT APPEARS ON CERTAIN DATES AND TIMES. THE CENTER OF THE MAP IS THE PART OF THE SKY DIRECTLY OVERHEAD (ZENITH) AND THE OUTER CIRCLE MAKES THE HOSE OF PEGASUS. CELESTIAL OBJECTS ARE LOCATED BETWEEN THE ZENITH AND THE HORIZON. COMPASS DIRECTIONS ARE INDICATED ALONG THE HORIZON CIRCLE (FOR EXAMPLE, "NORTH"). TO USE THE SKY MAP AROUND ITS CENTER (JUST AS YOU ARE DOING NOW) SO THE COMPASS DIRECTION THAT APPEARS ALONG THE BOTTOM OF THE MAP IS THE SAME AS THE DIRECTION THAT YOU FACE. BEGIN BY USING THE SKY MAP TO FIND A BRIGHT STAR PATTERN IN THE SKY.

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. **Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. Singapore Standard Time is UT plus 8 hours.

Variable Star – A star that changes brightness over a period of time.

EQUATORIAL EDITION
NOVEMBER 2022

CELESTIAL OBJECTS

★
★
★
★
★
Sky maps .com

Easily Seen with the Naked Eye

| | | | |
|------------|-----|---|---|
| Altair | Aql | ● | Brightest star in Aquila. Name means "the flying eagle". Dist=16.8 ly. |
| Capella | Aur | ● | The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly. |
| δ Cephei | Cep | ☉ | Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion. |
| Deneb | Cyg | ● | Brightest star in Cygnus. One of the greatest known supergiants. Dist=1,400±200 ly. |
| Achernar | Eri | ● | Brightest star in Eridanus, The River. Arabic name meaning "end of river". Dist=144 ly. |
| Vega | Lyr | ● | The 5th brightest star in the sky. A blue-white star. Dist=25.0 ly. |
| Rigel | Ori | ● | The brightest star in Orion. Blue supergiant star with mag 7 companion. Dist=770 ly. |
| Betelgeuse | Ori | ● | One of the largest red supergiant stars known. Diameter=300 times that of Sun. Dist=430 ly. |
| Algol | Per | ☉ | Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days. |
| Fomalhaut | PsA | ● | Brightest star in Piscis Austrinus. In Arabic the "fish's mouth". Dist=25 ly. |
| Pleiades | Tau | ☉ | The Seven Sisters. Spectacular cluster. Many more stars visible in binoculars. Dist=399 ly. |
| Hyades | Tau | ☉ | Large V-shaped star cluster. Binoculars reveal many more stars. Dist=152 ly. |
| Aldebaran | Tau | ● | Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly. |
| Polaris | UMi | ● | The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433 ly. |

Easily Seen with Binoculars

| | | | |
|----------------|-----|---|---|
| M31 | And | ☾ | The Andromeda Galaxy. Most distant object visible to naked eye. Dist=2.5 million ly. |
| M2 | Aqr | ☉ | Resembles a fuzzy star in binoculars. |
| η Aquilae | Aql | ☉ | Bright Cepheid variable. Mag varies between 3.6 & 4.5 over 7.166 days. Dist=1,200 ly. |
| M38 | Aur | ☉ | Stars appear arranged in "pi" or cross shape. Dist=4,300 ly. |
| M36 | Aur | ☉ | About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly. |
| μ Cephei | Cep | ☉ | Herschel's Garnet Star. One of the reddest stars. Mag 3.4 to 5.1 over 730 days. |
| Mira | Cet | ☉ | Famous long period variable star. Mag varies between 3.0 & 10.1 over 332 days. |
| χ Cygni | Cyg | ☉ | Long period pulsating red giant. Magnitude varies between 3.3 & 14.2 over 407 days. |
| M39 | Cyg | ☉ | May be visible to the naked eye under good conditions. Dist=900 ly. |
| LMC | Dor | ☾ | Large Magellanic Cloud. A neighbouring galaxy of the Milky Way. Dist=180,000 ly. |
| ε Lyrae | Lyr | ● | Famous Double Double. Binoculars show a double star. High power reveals each a double. |
| R Lyrae | Lyr | ☉ | Semi-regular variable. Magnitude varies between 3.9 & 5.0 over 46.0 days. |
| Cr 69 | Ori | ☉ | Lambda Orionis Cluster. Dist=1,630 ly. |
| M42 | Ori | ☐ | The Great Orion Nebula. Spectacular bright nebula. Best in telescope. Dist=1,300 light years. |
| κ Pavonis | Pav | ☉ | Cepheid-type. Magnitude varies between 3.9 & 4.8 over 9.088 days. |
| 6752 | Pav | ☉ | One of the better globular star clusters in the sky. Dist=14,000 ly. |
| M15 | Peg | ☉ | Only globular known to contain a planetary nebula (Mag 14, d=1"). Dist=30,000 ly. |
| Double Cluster | Per | ☉ | Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly. |
| ζ Phoenicis | Phe | ☉ | Eclipsing binary star and double (mag 8). Varies between 3.9 & 4.4 over 1.667 days. |
| 253 | Scl | ☾ | Fine, large, cigar-shaped galaxy. Requires dark sky. Member of Sculptor Group. |
| 47 Tucanae | Tuc | ☉ | Spectacular object. Telescope will reveal stars. Near edge of SMC. Dist=15,000 ly. |
| β Tucanae | Tuc | ● | Complex multiple star. Binoculars show one pair. Telescope required to split primary star. |
| SMC | Tuc | ☾ | Small Magellanic Cloud. Companion galaxy to Milky Way. Requires dark sky. Dist=210,000 ly. |
| Cr 399 | Vul | ☉ | Coathanger asterism or "Brocchi's Cluster". Not a true star cluster. Dist=218 to 1,140 ly. |

Telescopic Objects

| | | | |
|---------------|-----|---|---|
| γ Andromedae | And | ● | Attractive double star. Bright orange star with mag 5 blue companion. Sep=9.8". |
| 7009 | Aqr | ☾ | Saturn Nebula. Requires 8-inch telescope to see Saturn-like appendages. |
| 7293 | Aqr | ☾ | Helix Nebula. Spans nearly 1/4 deg. Requires dark sky. Dist=300 ly. |
| γ Arietis | Ari | ● | Impressive looking double blue-white star. Visible in a small telescope. Sep=7.8". |
| η Cassiopeiae | Cas | ● | Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12". |
| Albireo | Cyg | ● | Beautiful double star. Contrasting colours of orange and blue-green. Sep=34.4". |
| 61 Cygni | Cyg | ● | Attractive double star. Mags 5.2 & 6.1 orange dwarfs. Dist=11.4 ly. Sep=28.4". |
| γ Delphini | Del | ● | Appear yellow & white. Mags 4.3 & 5.2. Dist=100 ly. Struve 2725 double in same field. |
| θ Eridani | Eri | ● | Striking blue-white double star. Mags 3.2 & 4.3. Visible in a small telescope. Sep=8.2". |
| β Lyrae | Lyr | ☉ | Eclipsing binary. Mag varies between 3.3 & 4.3 over 12.940 days. Fainter mag 7.2 blue star. |
| M57 | Lyr | ☾ | Ring Nebula. Magnificent object. Smoke-ring shape. Dist=4,100 ly. |
| M11 | Sct | ☉ | Wild Duck Cluster. Resembles a globular through binoculars. V-shaped. Dist=5,600 ly. |
| M1 | Tau | ☐ | Crab Nebula. Remnant from supernova which was visible in 1054. Dist=6,500 ly. |
| M33 | Tri | ☾ | Fine face-on spiral galaxy. Requires a large aperture telescope. Dist=2.3 million ly. |
| M27 | Vul | ☾ | Dumbbell Nebula. Large, twin-lobed shape. Most spectacular planetary. Dist=975 ly. |